



Sorma Spa
Via Don F. Tosatto, 8
30174 Mestre - Venezia
+39 041.959179
info@nikkotools.com

www.nikkotools.com





01.10.2018
/ 31.12.2018

HF4PLUS Action

for high feed milling

Our best-seller family for high feed milling,
grows with two new sizes
for a wider range of application
starting from small diameter end mills.

**Try it at a very affordable price and freeze
the insert's price for all 2019!**

nixkoTOOLS



4 milling cutters and 20 high feed inserts

€ 499,00

Kit composition:

Quantity	Description	Features
1	NT-SP07HF D020-S20-Z3	End mill Ø20 Z3 with cylindrical shank and coolant holes
1	NT-SP07HF D025-S25-Z4	End mill Ø25 Z4 with cylindrical shank and coolant holes
1	NT-SP07HF D032-S32-Z5	End mill Ø32 Z5 with cylindrical shank and coolant holes
1	NT-SP07HF D040-F16-Z6	Face mill Ø40 Z6 with arbor mounting and coolant holes
20	SPMT07T210R-GP JP5530	Square positive inserts for high feed application with theoretical radius 2.0 mm. General purpose geometry applicable on a broad range of steels.

Item nr. **KIT-HF4PLUS01**

Kit composition:

Quantity	Description	Features
1	NT-SP07HF D020-S20-Z3	End mill Ø20 Z3 with cylindrical shank and coolant holes
1	NT-SP07HF D025-S25-Z4	End mill Ø25 Z4 with cylindrical shank and coolant holes
1	NT-SP07HF D032-S32-Z5	End mill Ø32 Z5 with cylindrical shank and coolant holes
1	NT-SP07HF D050-F22-Z7	Face mill Ø50 Z7 with arbor mounting and coolant holes
20	SPMT07T210R-GP JP5530	Square positive inserts for high feed application with theoretical radius 2.0 mm. General purpose geometry applicable on a broad range of steels.

Item nr. **KIT-HF4PLUS02**

Kit composition:

Quantity	Description	Features
1	NT-SP07HF D020-S20-Z3	End mill Ø20 Z3 with cylindrical shank and coolant holes
1	NT-SP07HF D025-S25-Z4	End mill Ø25 Z4 with cylindrical shank and coolant holes
1	NT-SP07HF D032-S32-Z5	End mill Ø32 Z5 with cylindrical shank and coolant holes
1	NT-SP07HF D052-F22-Z7	Face mill Ø52 Z7 with arbor mounting and coolant holes
20	SPMT07T210R-GP JP5530	Square positive inserts for high feed application with theoretical radius 2.0 mm. General purpose geometry applicable on a broad range of steels.

Item nr. **KIT-HF4PLUS03**





HF4PLUS Action

2 milling cutters and 20 high feed inserts

€ 339,00

Kit composition:

Quantity	Description	Features
1	NT-SD10HF D050-F22-Z6	Face mill Ø50 Z6 with arbor mounting and coolant holes
1	NT-SD10HF D063-F27-Z7	Face mill Ø63 Z7 with arbor mounting and coolant holes
20	SDMT100410R-GP JP5530	Square positive inserts for high feed application with theoretical radius 3.0 mm. General purpose geometry applicable on a broad range of steels.

Item nr. KIT-HF4PLUS04

Kit composition:

Quantity	Description	Features
1	NT-SD10HF D052-F22-Z6	Face mill Ø52 Z6 with arbor mounting and coolant holes
1	NT-SD10HF D066-F27-Z7	Face mill Ø66 Z7 with arbor mounting and coolant holes
20	SDMT100410R-GP JP5530	Square positive inserts for high feed application with theoretical radius 3.0 mm. General purpose geometry applicable on a broad range of steels.

Item nr. KIT-HF4PLUS05